


The CLIPPER Solutions Wall Saws

clipper®






WS75



6kW
 Ø 750mm
 36kg
 400V 3~

The WS75 is a robust electric wall saw easy to operate and transport. Fitted with a 750mm diameter saw blade, it allows cutting of concrete walls and masonry up to 320 mm deep without taking care of reinforcement.



Features	Benefits
Water cooled motor	Robust
Quick and easy motor removal	Easy transportation
Torsion rigid aluminium profile guiding rails	Stability and cutting accuracy
Movements portable control panel	Easy operation



Quick and easy motor removal.



Aluminium profile guiding rails.



Control panel.



Model No	Item No	EAN 13 Code
WS75	701846 14067	5450248 206491

Technical datas	WS75
Supply Voltage	400V 3~
Power kW	6kW (8Hp)
Fuse/Generator	32 amp / 15 kVA
Blade Guard	750mm
Max. blade x bore	Ø 750 x 25,4mm
Flush cutting	6 x 6M x Ø 130mm
Max. cutting depth	320mm
Max. tool speed RPM	1400 min ⁻¹
Feed motion	Automatic
Infeed drive	Electric
Dimensions (LxWxH)	1000 x 800 x 800mm
Head Weight	19kg
Motor Weight	17kg




AVANTIS 10



Find SUITABLE BLADES on page 24 and ACCESSORIES on page 106 !



BWS8-ED



9kW
 Ø 800mm
 49kg
 400V 3~

The BWS8-ED wall saw can be adapted to various applications thanks to a wide range of optional equipments. Its gearbox provides a high cutting efficiency and installation is quick and easy.

Features	Benefits
Water cooled motor	Robust
Gearbox	More efficient power transmission
Reinforced gears and high quality motors	Low maintenance costs
High accuracy guiding rolls	High cutting accuracy
Interchangeable rail guides	Quick fit to various types of rails
Easy assembly of components	Maximize utilisation time



Model No	Item No	EAN 13 Code
BWS8-ED	701846 14021	5450248 190639

Technical datas	BWS8-ED
Supply Voltage	400V 3~
Power kW	9kW (12Hp)
Fuse/Generator	32 amp / 23 kVA
Blade Guard	800mm
Max. blade x bore	Ø 800 x 60mm
Flush cutting	6 x 6M x Ø 110mm
Max. cutting depth	330mm
Max. tool speed RPM	1240 min ⁻¹
Feed motion	Automatic
Infeed drive	Electric
Dimensions (LxWxH)	710 x 450 x 760mm
Head Weight	31kg
Motor Weight	18kg



AVANTIS 10



Find SUITABLE BLADES on page 24 and ACCESSORIES on page 106 !





WALL SAWS ACCESSORIES & SPARE PARTS



WS75

Spare parts	Item No	EAN 13 Code
Rail L=1090mm	3100 07690	5450248 223009
Rail L=2180mm	3100 07808	5450248 228912
1 - Track support	3100 07725	5450248 224518
Flush cut blade guard	3100 07710	5450248 224082



BWS8 - ED

Spare parts	Item No	EAN 13 Code
Rail L=750mm	3100 06818	5450248 188919
Rail L=1000mm	3100 06819	5450248 190714
Rail L=1500mm	3100 06820	5450248 190721
Rail L=2250mm	3100 06821	5450248 190738
Flush cut blade guard - Ø 800mm	3100 06827	5450248 188933

